	· · · · · · · · · · · · · · · · · · ·	
	Application No.	Applicant(s)
Notice of Allowability	10/735,091	DAVIS ET AL.
	Examiner	Art Unit
	Barry J. Gooden Jr.	3616
		<u> </u>
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>After Final Amendment filed 4/2/2007</u> .		
2. The allowed claim(s) is/are 19 and 27-36.		
<ul> <li>3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) ☐ All b) ☐ Some* c) ☐ None of the:</li> </ul>		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary Paper No /Mail Dat	(PTO-413),
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	Paper No./Mail Dat 7. ⊠ Examiner's Amendn	nent/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. Examiner's Stateme	ent of Reasons for Allowance
. • • • • • • • • • • • • • • • • • • •	9.	
	•	

Application/Control Number: 10/735,091

Art Unit: 3616

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Thomas Pienkos on April 12, 2007.

The application has been amended as follows:

At lines 31 and 32, of claim 27, "at least mostly across" has been replaced with -- on --.

At lines 34 and 35, of claim 27, "are configured to facilitate" has been replaced with -- are shaped to facilitate --.

At line 3, of claim 28, "at least some of" has been replaced with -- a region of --.

At line 5, of claim 28, "positioned substantially" has been replaced with -- positioned --.

At line 6, of claim 28, "positioned substantially" has been replaced with -- positioned --.

At line 1, of claim 29, "The RUV of claim 28" has been replaced with -- The RUV of claim 27 --.

At lines 3 and 4, of claim 29, "at least substantially all of the first and second portions" has been replace with -- the first portion --.

At line 3, of claim 31, "at least some of" has been replaced with -- a region of --.

At line 5, of claim 31, "positioned substantially" has been replaced with -- positioned --.

At line 6, of claim 31, "positioned substantially" has been replaced with -- positioned --.

Claim 33 has been replaced with -- The RUV of claim 32, wherein the first and second protrusions of each respective foot rest surface, positioned in succession along a respective length of the respective foot rest surface, are within the respective first and second foot rest areas of the respective foot rest surface. --

At line 2, of claim 34, "surfaces all" has been replaced with -- surfaces --.

At lines 3 and 4, of claim 36 "than substantially all of the first and second portions," has been replaced with -- than the first portion, --.

Application/Control Number: 10/735,091 Page 3

Art Unit: 3616

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Barry J. Gooden Jr. whose telephone number is (571) 272-5135. The examiner can normally be reached on Monday-Friday 8:00am-4:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Paul N. Dickson can be reached on (571) 272-6669. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-

1000.

Barry J Øboden Jr.

Examiner
Art Unit 3616

**BJG** 

CHRISTOPHER P. ELLIS SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 3600

4/12/07